

Company Profile 2025



Advanced Manufacturing for Metal and Glass

A subsidiary of: **ALUPCO** 



: +966 13 812 7776



: alu@amq-metal.com



: 16 Street, 2nd Industrial Area,
Dammam 34334, Kingdom of Saudi Arabia



: www.amq-metal.com

“Architectural solution in full system design.”

*We believe in building to positively impact communities, infrastructure, the economy, opportunity, and employment.
We take great pride in being proactive with our approach to projects, while ensuring that the best interests of the stakeholders are represented at every stage.*

Index

- *General Information*
- *Company Bio*
- *Prequalification & Vendor Accreditation*
- *Supplier & Manufacturer Affiliates*
- *Registration / Licenses*
- *Our Team*
- *Work Capabilities / Major Equipment*
- *Product Specification*
- *List of Major Projects (Completed and Ongoing)*
- *Certificates*

General Information

Company Name: **ADVANCED MANUFACTURING FOR METAL AND GLASS (AMG)**

Commercial Registration: 2050058201

Industrial License: 20330215721

Chamber of Commerce: 91312

ISO CERTIFIED: **9001:2015 (Certificate number: 0660-361109 – valid: October 20, 2028)**

Head Office: 16 Street, 2nd Industrial Area, Dammam – 34334
Kingdom of Saudi Arabia

(Work Specialization)

Fabrication and Installation of:

- *Aluminum and Glazed Curtain Wall (Unitized and Stick)*
- *Aluminum Cladding (ACP) & Meshrabiya Panels*
- *Doors & Windows*
- *Skylights and Domes*
- *Louvers, Canopies, and Shades*
- *Internal Partitions (Glass / Frameless)*
- *Handrails and Aluminum Columns*
- *Any other Aluminum and Glazing works*

Company Bio

“Advanced Manufacturing for Metal and Glass”

known as (AMG) company, a subsidiary of M/S Alupco, located in Dammam, Kingdom of Saudi Arabia, were established in the year 2007, with a paid-up capital of SAR 20,000,000 (Twenty Million Saudi Riyals) under company registration number (628970) from the Ministry of Commerce and Industry.

From its fundamentality, AMG has grown to become one of the most outstanding companies in its specialized field (Design, Fabrication/Manufacturing, Installation, and Industry). Its yield range includes aluminum and glaze curtain walls (Unitized and Stick System), aluminum cladding (ACP), meshrabiya panels, aluminum doors and windows, skylights / domes, louver, canopies, shades, internal glass (framed/frameless) partitions, aluminum handrails and columns, and few other aluminum and glazing works.

Operating in a facility area of 21,000 m². The production area is 10,500 m² and the rest is a supporting area for material movement and storage. With high class machines, aid with highly trained and skilled manpower resources that meet international standards.

AMG primary goal is to meet and accomplish any given requirement by our clients, with the expertise and dedication to work towards high quality result.

Our mission & vision statement:

- “To become a market leader in fabrication and installation of all aluminum and glazing products, with a sustainable building design solution to build a sustainable future.”*
- “Our vision is to be the pre-eminent fabricator and installer (design and build) of unique, architectural memorial structures within the Kingdom of Saudi Arabia, and the GCC.”*

Prequalification and Vendor Accreditation



Saudi Aramco. The leading producer of energy and chemicals that drive global commerce and enhance the daily lives of people around the globe. (Vendor#: 10049336)



The Royal Commission for Jubail and Yanbu. In-charge in planning, promoting, development and management of petrochemicals and energy on extensive industrial cities (Jubail, Yanbu, Ras Al Khair, and Jazan). (Vendor#: 13283)



Sabic. Is a Saudi diversified company, active in petrochemicals, chemicals, industrial polymers, fertilizers, and metals. (Vendor#: 505820)



Red Sea Development Company. real estate developer with a diverse portfolio across tourism, residential, experiences, infrastructure, transport, healthcare, and services. This includes the luxury regenerative tourism destinations The Red Sea, and AMAALA. (Doc. Number: R04-A07C15-AMP-PRQ-AR-0001)



Consolidated Contractors Company. A Saudi diversified company carrying out construction, engineering, procurement, development, and investments activities locally and internationally. (Vendor#: 15122)



KCC is a leading integrated construction company collaborating to create sustainable and innovative solutions, from building and residential, hospital and infrastructure, industrial and utilities. (Vendor#: 4000002763)



Dun and Bradstreet is the largest global commercial database on the planet. Connecting customers with prospect suppliers, clients and partners. (Reg. # 55-784-8016)

Supplier & Manufacturer Affiliates

Aluminum / System Suppliers:



Aluminum Composite Panel (ACP):



Glass Manufacturer/Processors:



Registration & Licenses

وزارة التجارة
Ministry of Commerce



شهادة السجل التجاري

البيانات الأساسية للسجل التجاري



7001539308

الشركة المتقدمة لتصنيع المعادن والزجاج شركة
ذات الشخص الواحد

الرقم الوطني الموحد: 7001539308

تاريخ الإصدار: 30/01/2008

نوع الكيان: شركة ذات مسؤولية محدودة

صفات الشركة: لا يوجد

حالة السجل: نشط

@ X f v
mcgovsa

1900
mc.gov.sa

شهادة اشتراك

Membership

البوابة الموحدة
للغرف السعودية



نشهد بأن

الشركة المتقدمة لتصنيع المعادن والزجاج شركة ذات الشخص الواحد

.ADVANCED MANUFACTURING FOR METAL AND GLASS CO

عضو في الغرفة التجارية

Certificate Date	15/01/2024 - 03/07/1445	تاريخ طباعة الشهادة
Date of Membership	02/02/2008 - 24/01/1429	تاريخ الاشتراك
Date of Expiry	29/11/2027 - 01/07/1449	تاريخ الانتهاء
Subscription Status	فعال	حالة الاشتراك
NUN	7001539308	رقم المنشأة الموحد
Membership No	91312	رقم الاشتراك
Membership Degree	الأولى	درجة الاشتراك
Commercial Record/ License	2050058201	الرخصة / السجل التجاري
P. O. Box	13631	صندوق البريد

التوقيع
عبدالعزیز بن سعد المعمر
مدير إدارة المشتركين والفروع



Our Team

Our Team

General Manager / CEO		ENG. KHALID W. KASHEF
	Executive Assistant	
Administration Manager		MRS. ZAHRA ALMUALLIM
	Supervisor Personnel Affairs	
	Government Relations Representative	
	Compound In-charge	
	Receptionist	
	Office Crews	
	Guards	
Finance Manager		MR. AHMED KHALIFA
	Chief Accountant	
	Accountants	
	Cashier / Collectors	
Senior Sales Manager		ENG. ZAID
	Document Controller	
	Sales Supervisor (Dammam/Riyadh/Jeddah)	
	Sales Representatives	
Operations		
Estimation Manager		ENG. SAHUL HAMEED
	Cost Estimators/Engineers	
Technical/Engineering Manager		ENG. ISLAM
	Design Engineers	
	AutoCAD Draughtsmen	
	Surveyors	
	Document Controller	
Production Manager		MR. AHMED HAMEED
	Production Assistant	
	Mechanical Division Supervisor	
	Mechanic/Technicians	
	Helpers	
	Electrical Division Supervisor	
	Electricians	
	Helper	
	Fabrication Supervisor	
	Fabricators	
	Helpers	
	Painters	
	Quality Control Division Supervisor	
	QA/QC Personnel	
	HSE Officer	
	Dispatching Supervisor	
	Drivers	
	Dispatchers	
	Helper	
	Warehouse Division Head	
	Storekeeper	
	Warehousemen	
Projects Manager		ENG. AFSAL NINAKUTTY
	Site Engineers	
	Foremen	
	Installers	
	Store & Timekeeper	
	QA/QC Engineers	
	HSE Engineers	
Purchase/Procurement Manager		MR. FAHAD SHABIBI
	Senior Procurement Coordinator	
	Procurement Assistants	
	Local Buyer	
Data Processing / IT		MR. RALPH EVANGELISTA

Work Capabilities & Equipment

Curtain wall capacity per year?	250,000 m ²
Factory total production area?	15,000 m ²
Facility for design & engineering?	Yes
What system do we use?	Schuco, Installux, EFP, Vistawall, Gutmann, Alupco, etc.
Structural-thermal-acoustic-LEED specialist?	Yes
Pre-construction testing	Profiles are pre-tested by outsource.
Flow chart showing different manufacturing stages (From raw material to finish product)	Available upon request. (MS)
Warehouse Department	
Storage Area: 3,500 m ²	
Workers: 5	
Aluminum Profiles	
Glass	
Sealing Materials	
Composite Materials	
Accessories	
Façade CNC Machining Department	
Total Area: 3,000 m ²	
Workers: 60-80	
Machinery	
EMMEGI- 6-Axis Profile Machining Center (1)	
ELUMATEC - 5-axis Profile Machining Center (1)	
EMMEGI - Double Degree Cutting Machine-(1)	
ELUMATEC - Double Head Cutting Machine (2)	
EMMEGI - Single Head Cutting-off Machine (1)	
ELUMATEC -Manual Single axis Milling Machine (2)	
ELUMATEC- Manual Double Axis Milling Machine (1)	
ELUMATEC- Automatic Table Saw (2)	
ELUMATEC- Notching Machine (3)	
ELUMATEC - Cutting Machine (2)	
THOMAS - Cutting Machine (2)	
PBT 25- Profile Bending Machine (1)	
BEST MAKINA -Silicon Injection Machine (1)	
BEST MAKINA - Rotating Table Machine (1)	
ELUMATEC -Crimping Machine (2)	
REYNAERS - Hydraulic Press Machine (2)	
UNIVERSAL - Press Drilling Machine (3)	
DRILL MASTER -Press Drilling Machine (1)	
UNIVERSAL 10" Table Saw (1)	
UNIVERSAL - Wrapping Machine (1)	

Work Capabilities & Equipment

Façade Assembly Department	
Total Area: 4,000 m ²	
Unitized Curtain Wall Panel Systems: 10,000 m ² /month	
Stick System: 15,000 m ² /month	
Steel & Welding Department	
Total Area: 2,000 m ²	
Workers: 20	
Capacity: 60,000 - 80,000 kg/month	
Machinery	
LOYAL Mac Plasma Machine o60 (1)	
Water Jet TEXA-00077457 (1)	
Laser Machine - ERMAK 18879-n8v654 (1)	
Nibbling Machine EUROMAC MR01063530 (1)	
Shark Bandsaw 281 /260 (2)	
Chenlong Metal Band - Sawing Machine (1)	
Universal Punch Machine- SAHINLER (1)	
EDWARD Punch Machine (1)	
Lathe Machine Koppings Mekaniska (1)	
Drill Press (6)	
Welding Stations (5)	
Cutting & Bending Department	
Total Area: 1,000 m ²	
Workers: 10	
Capacity: 5,000 m ² /month	
Machinery	
CNC DURMA Bending Machine (1)	
CNC ERMAC Bending Machine (1)	
Shearing Machine DURMA (1)	
Shearing Machine ERMAC (1)	
Aluminium Composite Panel Processing Department	
Total Area : 1,000 m ²	
Workers: 14	
Capacity: 10,000 m ² /month	
Machinery:	
XYZ CNC Panel Builder Machine (1)	
Cutting Machines - ELUMATEC (1)	
Rolling Machines - SAHINLER-230223 (1)	
Logistics Department?	Yes. Workers -10
Human Resources Department?	Yes. Personnel-4
Quality Control Department?	Yes. Officers-3
Quality Management Department?	Yes. Personnel-2
Survey Team	Yes. Surveyor: 3

Work Capabilities & Equipment



Ermaksan

*High Speed Sensitive
Laser Cutting Machine*



Tecnocut

*Water Jet Cutting
Machine*



Ermaksan

Power Bending Machine



Product Specification

AMG's standard doors and windows are internationally designed and tested casement and sliding system. Having a range of fully integrated series of profiles, allowing manufacture of individual or composite units to match a design option or variable to suit a multiplicity of client exacting requirements. The system conforms to most recognized *European and International Standards* from all aspects of design and fabricate, finishes of painting and/or anodizing, workshop practices, glazing and hardware. Skilled and trained installation teams are employed for improved operations.



The system has many unique and ingenious design features; it permits a variable glazing thickness of 4mm to 24mm glass or panes or any other type of in-fill construction using the bead clipping principle. Wall thickness of profile is designed to suit any particular application. Aluminum framed insect screens (single or double), quality system hardware; hinges, handles, locks, flush bolt, and many other hardware such as panic devices and door closers (surface and floor mounted) are all available to suit specific design.

Corner joints are individually designed and are constructed by welding; screw fixings within profile screw ports or generally mechanically jointed using cast or extruded aluminum cleats secured by mechanical jointed using cast or extruded sealed in accordance with *BS4873:1972*. All doors and windows are glazed, fully weather-stripped and sealed against all elements with EPDM or equivalent gaskets. Aluminum insect screens where required are retained in aluminum frames using the rolled in gasket or clip method for fixing into main frame after installation. Windows are designed to allow water drainage to the exterior.

Quality finishes to surfaces of aluminum profiles, panels, hardware and accessories, etc. may be in either anodizing or polyester painting. Many colors are available to suit client individual requirements. Unless otherwise required/specified all exposed profiles are anodized to *Grade AA20* or 20 microns minimum average thickness in accordance with *BS1615:1972*.

- a) Products. AMG fabricates and installs systems conforming to both British and American (International) Standards.
- b) Performance. Working with the international standard codes and drawings should not change the dimension or shape of the window and their components caused by presence or absence of water or variations in moisture conditions or temperature changes including the effect of differential temperature difference between and within the various components or deformation due to sporadic pressure of suction from wind or by reason of their being used for their purpose of for any other cause within normal limits shall not affect the appearance, use, color or performance specified.

All surfaces finished shall be uniform in texture, color and appearance within the limits of the approved samples and without irregularities or distortions. Rivets and screws et., which are not intended to be visible shall be treated so that there is no discontinuity of the finished surface.

- c) Construction. The design and method of construction shall be consistent with good and proven practice. Windows shall generally comply with *BS 4873:1972* in respect to materials, work sizes, manufacturing tolerance, glazing securities safety and performance. The outer frames and leaves are crimped cleated and sealed at each corner. All in accordance with *BS 4873:1972 Section 5.2.6*. All units shall be fabricated to agreed tolerances. No metals likely to cause galvanic or other corrosion shall be placed in contact with the aluminum. Any other dissimilar materials shall be treated to avoid such action between metals.
- d) Delivery and Protection. Aluminum window frames, components and accessories will be suitable protected with low tac tape or other means from the time of leaving our premises to the installation on the building, suitable storage to be provided for all materials. *All window units, assemblies or elements are to be prepared and packaged for transport to the site. All corners, edges and finished surfaces are to be adequately protected to avoid damage.
- e) Sealant. One-part polysulphide-based gun grade in accordance with *BS 5215*, supported by suitable polyethylene backing core applied in accordance with manufacturer's recommendations.
- f) Weather Stripping. All opening sections are weather-stripping with EPDM gaskets to *International Standards 1503934 – 1978 (E)*
DIN 7715 cat. E BS 3734
All silicone brushes.
- g) Materials. All aluminum frames and shutter profiles extruded from the following:
 - *A1 Mg, Si 0.5 F22 – F25*
 - *A1 Mg Si 1.0 F28 - World designation*
 - *A1 Mg Si 1.0 F32 – F36*All in accordance with *BS 1474*

Anodizing to *BS 3987:1974 (Anodic Oxide Coating on wrought aluminum for external architectural applications)*.

The finished anodized surface shall be free from "Banding, Streaking and Smut". Color to be controlled within approved top and bottom limits agreed. Fasteners shall be aluminum tempered, stainless steel or other metallic or non-metallic materials non-corrosive and compatible with the aluminum members.

Product Specification

h) Hardware / Accessories.

Side Hung Windows:

Operating handles will be manufactured from one or more of the following materials with non-corrosive pins, springs, etc.

- Extruded Aluminum
- Die cast aluminum
- Die cast Mazak

Each shutter will be mounted on one set of aluminum extruded hinge with stainless steel pin and nylon bushes.

Bottom Hung Windows:

One spring loaded catch manufactured from one or more of the following materials with non-corrosive pins and springs etc.

- Extruded Aluminum
- Die cast aluminum
- Die cast Mazak

Each leaf will be fitted with a set of hinges and a set of arms.

Sliding Window:

Each sliding leaf shall receive the following hardware:

- Rollers/Leaf
- One side handle / Lock

The frame shall accommodate handle sticker plate and dust plugs.

Single Swing Door:

Single swing doors shall have the following fittings:

- Two no/s. of lock
- One lock
- One pair of lever handle
- One pair of flush extension bolt
- One door closer (optional)

All the steel pins and springs etc. used in the above-mentioned accessories shall be in stainless steel.

Double Swing Door

Double swing doors incorporate the following accessories:

- One no. floor closer per leaf
- One no. dead lock per door
- One pair of Push/Pull bar or plate
- One pair of extension flush bolt

i) Workmanship. The standard of workmanship, comprising design, fabrication and delivery shall be the best possible standard.

Cutting shall be straight and free from burrs and joints without gaps or imperfections except as designed.

The glass is secured in a gasket manufactured from EPDM and is installed in the shutter frame either by the bead principle or wrap around dependent on type of windows. All in accordance with BS 4873:1972 and BS 6262: 1982 glazing for buildings.

j) Drawings. Drawings shall be submitted in accordance with the following:

The elevation of the unit, full size cross section, thickness, standard dimensions, the method of installing, anchorage, size of anchors and gap between them and method of weather-stripping.

Aluminum Composite Panel (ACP) –follows to the international standards, supplied by globally leading ACP suppliers. Our Fire-Retardant Aluminum Composite Panels (®FR- ACP) are made from the state-of-the-art technologies. Especially formulated fire- retardant mineral core using LDPE and special chemical agents which are sandwiched between two layers of aluminum coils of various grades.

PRINCIPAL PROPERTIES

Panel Weight for 4mm thickness is from 5.50 kg/m² up to 8.00 kg/m². For 6mm thickness is from 7.00 kg/m² up to 11.00 kg/m². Alloy: 3105 or 3003 (for easy fabrication). Special grade noncombustible mineral filled core. Surface coated of either PVDF Fluro Ceram or Lumi Flon: Both complies with ECCA and AAMA specification.

Surface burning of the fire rated core FR-ACP is tested by prominent testing agencies and meets the required standard as per BS EN 476, EN13501, ASTM E84 & DIN4102.

This material complies with the requirements as defined in “Fire Safety” The Building Regulation as per Civil Defense & Municipality and can be used on both low rise and high-rise buildings.

BS 476, Part 6	-	Class 0
BS 476, Part 7	-	Class 1
UL 94	-	V0
EN13501	-	Class B S1 d0
ASTM E 84	-	Class A or Class 1
DIN4102	-	Class B1

Product Specification

STANDARD PROCESSING METHOD

SAWING / CUTTING / GROOVING / FOLDING / JIGGING / BENDING / DRILLING / GLUEING / PUNCHING

AMG owns a classy machine aid- XYZ PANEL Builder CNC Router- specifically for processing a large volume of ACPs in the fastest and most efficient way. The machine can be configured to suit the exact needs. Process areas can be selected from 60" (1,524mm) x 120" (3,048mm) to a massive 85" (2,159mm) x 478" (12,129mm) or even longer in increments of 24" (600mm), allowing one or more standard size sheets to be processed at once.

TYPICAL INSTALLATION METHOD

General:

- a. *Install panels plumb, level and true, in compliance with fabricator's recommendations. Avoid possible reflection differences (only of metallic colors), panels to be installed in the same directions with the orientation of the marking shown on the peel-off-foil of the individual panels running parallel to each other.*
- b. *Anchor panels securely in place, in accordance with our typical shop drawings.*
- c. *Comply with architect's instruction for installation of concealed fasteners and application of sealant as per manufacturers instruction.*
- d. *Installation Tolerances. Maximum deviation from horizontal and vertical alignment of installed panels: 6.4 mm in 6.1 m. (non-cumulative).*
- e. *Protect panel surfaces in contact with cementitious materials and dissimilar metals with bituminous paint. Allow to dry prior to installation.*
- f. *Locate panel joints over supports. Lap panel ends - minimum 50mm.*
- g. *Provide expansion control joints where indicated.*
- h. *Use concealed fasteners unless otherwise approved by Architect/Engineer.*
- i. *Seal and place gaskets to prevent weather penetration. Maintain a neat appearance.*

Adjusting

Repair panels with minor damage so that repairs are not discernible at (a distance of) 3.1m. Remove and replace panels damaged beyond repair. Remove protective film immediately after installation of joint sealers and immediately prior to completion of composite metal panel work. Removed from the project site damaged panels, protective film and other debris attributable to work.

POWDER COATING *is fully carried out to British Standard 6496:84 specification for the application of inorganic coating to aluminum and steel products. Coating plant equipment are installed by well-known British concern namely M/s ERCON Metal Finishing Systems Ltd. – U.K., who are the specialist to establish the coating equipment and commissioning of British standard powder coating plants around the world.*

Specification includes:

1. *Degreasing to remove light oils and atmospheric contaminants*
2. *Rinse to remove excesses chemicals and entrapped contaminants*
3. *Each in strong alkaline solution to produce surface for mechanical bonding of coating*
4. *Rinse to remove excesses chemicals and entrapped particles.*
5. *Acid chemicals demit to dissolve impurities in etched surface such as iron and copper which result in galvanic corrosion*
6. *Rinse to remove excess chemical and entrapped contaminants*
7. *Dip in Acidic Zinc chromate solution to give chrome conversion of surface giving a corrosion resistant layer which will act as a catalyst for the chemical bonding of the ensuring powder coating*
8. *Rinse to remove excess chemicals*
9. *Rinse to give a chemical free surface*
10. *Rinse in hot de-ionized water to remove all traces of cations and anions giving an electrically neutral surface*
11. *Dry in hot air circulating oven to remove all traces of moisture*
12. *Electro-statically apply architectural polyester powder coating at a finished thickness of minimum 50 microns*
13. *Stove the powder at a minimum of 180°C for 20 minutes of 200° for 15 minutes*

During the process, a series of BS Q-panels are coated with the material which are subject to destructive testing for assessment of the finished product. A quality control sheet is prepared during the process which will include test results of the chemical analysis of the pre-treatment tanks and a heat distribution curve of the curing oven to ensure that the recommended time/temperature period for curing has been observed.

List of Major Projects

Major Completed Project's List

<i>Project Name</i>	<i>Contractor</i>	<i>Location</i>
1. Bamarouf Building	Tharouk Contracting	Jeddah
2. Al Kifah Tower	Al Kifah Contracting	Dammam
3. Al Amal Hospital	A. AlSayed Con. Group	Dammam
4. College of Medical Science (Al Jouf University)	Al Joudah Contracting	Al Jouf
5. Faculty of Society (Hail University)	Al Joudah Contracting	Hail
6. Faculty of Science (Baha University)	Al Joudah Contracting	Baha
7. Medical Tower	Khaled Est. Gen. Cont.	Jouf
8. KSU (Research Center)	Saudi Binladin Group	Riyadh
9. KSU (Girl Housing)	Saudi Binladin Group	Riyadh
10. AACC New Facilities Building	Four Corners Cont.	Jeddah
11. Al Jawhara Tower	Drake & Skull	Jeddah
12. Technical Science for Girls	Al Qussie International	Dammam
13. Al Othaim Mall	Dar Al Khiyoul Cont.	Dammam
14. UPDC (ARAMCO)	Drake & Skull Aramco	Dhahran
15. Mall of Arabia	Al Hokair Cont.	Jeddah
16. Samsung Naffora Techno Valley	IBS	Jubail
17. Al Fanar Tower Jacobs Zate Tower	Al Subeaei Cont.	Khobar
18. Baker Hughes Tech. Center	ARCON	Dhahran
19. Al Noaimy Tower	United Arabian Com	Jubail
20. Riyadbank Building	Riyadbank KSA	Jubail
21. Estidamah Project	J & P Cont.	Riyadh
22. Student Housing (Taif University)	MARCO	Taif
23. Admin Building (Baha University)	Al Joudah Contracting	Baha
24. Society of College (Hail University)	Safari Co.	Hail
25. Applied Medical College (Baha Univ)	Binshihon Cont.	Baha
26. Unaizah University	Al Swailem Cont.	Unaizah
27. Residential Apartment	SAS	Jubail
28. Al Tasnee Plastic Factory	AFM Consultants	Jubail
29. Al Jarbough Tower	Maliki Cont.	Khobar
30. Suhaily Commercial Building	Sheikh Saad Al Suhaily	Makkah
31. Ramada Hotel	Al Swailem Cont.	Khobar
32. Sehamia Tower	Al Subeaei	Khobar
33. Al Jouf University	Al Jabr Cont.	Jouf
34. AL Hass Commercial Bldg.	Ali Nasser Co.	Hassa
35. AL Jawhara Tower	Damac Properties	Jeddah
36. Al Jouf University	Safari Co.	Jouf
37. Malaka Villa	Earth Foundation Co.	Riyadh
38. Damac Twin Tower (Exclusiva Tower)	Damac Properties	Riyadh
39. Water Tank Tower	Al Joudah Cont.	Khamis Mushayt
40. Taif University	MARCO	Taif
41. Arar Airport	Al Joudah Contr.	Arar
42. National Guard	Al Manar	Dammam
43. Al Qassim Museum	Jamal Jaroudi Group	Qassim
44. Admin Building	3 Palms	Riyadh
45. MOI-South Border Housing	MOI/Alupco	Jizan
46. 84 Factories	MODON	Dammam
47. Edgnex Data Center	Sterling & Wilson	Dammam (Spark)
48. SAHAYEB Data Centers (DC1-2-3)	BK GCC	Dammam

On-Going Project's List

1. MOI-SFMC (Riyadh) – Main Building	ABV Rock	Riyadh
2. Jazan International Airport	Safari Group	Jizan
3. Remal Business Center	Delta Valleys Contracting Co.	Al-Khobar


List of Major Projects



OTHAIM MALL

CONTRACTOR: DAR AL KHYOUL CONTRACTING
 LOCATION: DAMMAM, K. S. A.
 CLIENT: AL OTHAIM INVESTMENT CO.
 SCOPE: GLAZING, CLADDING, ALUM. DOORS & WINDOWS WORKS

الشركة المتكاملة لتصنيع المعادن والزجاج
 Advanced Manufacturing for Metal and Glass

ARAR AIRPORT
ARAR, KSA

CONTRACTOR: AL JOUDAH CONTRACTING
 LOCATION: ARAR, K. S. A.
 CLIENT: GENERAL AUTHORITY OF CIVIL AVIATION
 SCOPE: ALUMINUM, DOORS & WINDOWS, STRUCTURAL GLAZING

الشركة المتكاملة لتصنيع المعادن والزجاج
 Advanced Manufacturing for Metal and Glass




AL QASSIM MUSEUM

CONTRACTOR: JAMAL JABOUDI GROUP
 LOCATION: AL QASSIM, K. S. A.
 CLIENT: Saudi Commission for Tourism and National Heritage
 SCOPE: ACP GLAZING, ALUM. DOORS & WINDOWS WORKS

الشركة المتكاملة لتصنيع المعادن والزجاج
 Advanced Manufacturing for Metal and Glass




ADMIN BUILDING

CONTRACTOR: J PALMS
 LOCATION: RIYADH, K. S. A.
 CLIENT: J PALMS
 SCOPE: ACP CURTAIN WALL, ALUM. DOORS & WINDOWS WORKS

الشركة المتكاملة لتصنيع المعادن والزجاج
 Advanced Manufacturing for Metal and Glass




DAMAC ESCLUSIVA TOWER

CONTRACTOR: HARABAIN GATE
 LOCATION: RIYADH
 CLIENT: DAMAC PROPERTIES L.L.C.
 SCOPE: GLAZING, FRAMING, CURTAIN WALLS (STRUCTURAL AND UNFIXED FIXING), LIFT SHAFTS, SKYBRIDGE, SKYBOX & RESTROOMS, SPECIAL FINISHES WORKS

الشركة المتكاملة لتصنيع المعادن والزجاج
 Advanced Manufacturing for Metal and Glass




AL JAWHARA TOWER

CONTRACTOR: DRAKE & SKULL [D3]
 LOCATION: JEDDAH
 CLIENT: DAMAC PROPERTIES L.L.C.
 SCOPE: GLAZING, FRAMING, CURTAIN WALLS, LIFT SHAFTS, SKYBRIDGE, SKYBOX & RESTROOMS, SPECIAL FINISHES WORKS

الشركة المتكاملة لتصنيع المعادن والزجاج
 Advanced Manufacturing for Metal and Glass




AL KIFAH TOWER
ALKHOBAR

CONTRACTOR: SAFARI LTD
 LOCATION: AL KHOUF, K. S. A.
 CLIENT: MINISTRY OF EDUCATION
 SCOPE: ACP CURTAIN WALL, ALUM. DOORS & WINDOWS WORKS

الشركة المتكاملة لتصنيع المعادن والزجاج
 Advanced Manufacturing for Metal and Glass




AL JOUF UNIVERSITY

CONTRACTOR: SAFARI LTD
 LOCATION: AL KHOUF, K. S. A.
 CLIENT: MINISTRY OF EDUCATION
 SCOPE: ACP CURTAIN WALL, ALUM. DOORS & WINDOWS WORKS

الشركة المتكاملة لتصنيع المعادن والزجاج
 Advanced Manufacturing for Metal and Glass




AL FANAR TOWER

CONTRACTOR: SAUDI BUILDING & CONSTRUCTION MANAGEMENT (SBCM)
 LOCATION: AL KHOBAR
 CLIENT: ZAD GROUP
 SCOPE: GLAZING, CURTAIN WALLS, LIFT SHAFTS, SKYBRIDGE, SKYBOX & RESTROOMS, SPECIAL FINISHES WORKS

الشركة المتكاملة لتصنيع المعادن والزجاج
 Advanced Manufacturing for Metal and Glass




AL JARBOUH TOWER
ALKHOBAR

CONTRACTOR: SAFARI LTD
 LOCATION: AL KHOUF, K. S. A.
 CLIENT: MINISTRY OF EDUCATION
 SCOPE: ACP CURTAIN WALL, ALUM. DOORS & WINDOWS WORKS

الشركة المتكاملة لتصنيع المعادن والزجاج
 Advanced Manufacturing for Metal and Glass




MALL OF ARABIA
JEDDAH

CONTRACTOR: AL JOUDAH CONTRACTING
 LOCATION: ARAR, K. S. A.
 CLIENT: GENERAL AUTHORITY OF CIVIL AVIATION
 SCOPE: ALUMINUM, DOORS & WINDOWS, STRUCTURAL GLAZING

الشركة المتكاملة لتصنيع المعادن والزجاج
 Advanced Manufacturing for Metal and Glass




ADMIN BUILDING
BAHA UNIVERSITY

CONTRACTOR: AL JOUDAH CONT.
 LOCATION: BAHA, K. S. A.
 CLIENT: MINISTRY OF EDUCATION
 SCOPE: ALUMINUM GLAZING, DOORS & WINDOWS WORKS

الشركة المتكاملة لتصنيع المعادن والزجاج
 Advanced Manufacturing for Metal and Glass




APPLIED MEDICAL SCIENCE
BAHA

CONTRACTOR: BIN SHEHON
 LOCATION: BAHA, K. S. A.
 CLIENT: MINISTRY ON HIGHER EDUCATION
 SCOPE: ALUMINUM, SKYLIGHT & GLAZING WORKS

الشركة المتكاملة لتصنيع المعادن والزجاج
 Advanced Manufacturing for Metal and Glass




BAKER HUGHES

CONTRACTOR: ARCON
 LOCATION: DHAHRAN
 CLIENT: BAKER HUGHES
 SCOPE: GLAZING, CURTAIN WALLS, LIFT SHAFTS, SKYBRIDGE, SKYBOX & RESTROOMS, SPECIAL FINISHES WORKS

الشركة المتكاملة لتصنيع المعادن والزجاج
 Advanced Manufacturing for Metal and Glass




BAMAROUF BUILDING

CONTRACTOR: THABOUC CONTRACTING
 LOCATION: JEDDAH
 CONSULTANT: V2 MIDDLE EAST
 SCOPE: GLAZING, FRAMING, CURTAIN WALLS, LIFT SHAFTS, SKYBRIDGE, SKYBOX & RESTROOMS, SPECIAL FINISHES WORKS

الشركة المتكاملة لتصنيع المعادن والزجاج
 Advanced Manufacturing for Metal and Glass



List of Major Projects

CONTRACTOR: SAUDI BIN LADIN GROUP
 LOCATION: RIYADH
 CLIENT: MHE



KSU RESEARCH CENTER
 KING SAUD UNIVERSITY - RESEARCH CENTER - RIYADH 114524

SCOPE:
 • CLADDING
 • CURTAIN WALLS
 • LOUVERS
 • CANOPIES
 • DOORS & WINDOWS

الشركة المتقدمة لتصنيع المعادن والزجاج
 Advanced Manufacturing for Metal and Glass

Head Office: P.O. Box 12602, Jeddah 21514, K.S.A. | Riyadh: P.O. Box 27133, Riyadh 11472, K.S.A.
 Tel: +966 11 812 3774 | Fax: +966 11 812 3425 | Riyadh: +966 11 498 4737 | Fax: +966 11 498 5322



CONTRACTOR: KHALID EST. GENERAL CONTRACTING
 LOCATION: JOUF
 CLIENT: MINISTRY OF HEALTH



MEDICAL TOWER

SCOPE:
 • CLADDING
 • CURTAIN WALLS
 • LOUVERS
 • CANOPIES
 • DOORS & WINDOWS

الشركة المتقدمة لتصنيع المعادن والزجاج
 Advanced Manufacturing for Metal and Glass

Head Office: P.O. Box 12602, Jeddah 21514, K.S.A. | Riyadh: P.O. Box 27133, Riyadh 11472, K.S.A.
 Tel: +966 11 812 3774 | Fax: +966 11 812 3425 | Riyadh: +966 11 498 4737 | Fax: +966 11 498 5322




SAMSUNG NAFFORA TECHNO VALLEY PROJECT
 JUBAIL

الشركة المتقدمة لتصنيع المعادن والزجاج
 Advanced Manufacturing for Metal and Glass



CONTRACTOR: AL SUBAEI CO.
 LOCATION: AL KHOBAR, K. S. A.
 CLIENT: SEHAMIA
 SCOPE: ALUMINIUM, GLAZING, DOORS & WINDOWS WORKS




SEHAMIA TOWER - AL KHOBAR

الشركة المتقدمة لتصنيع المعادن والزجاج
 Advanced Manufacturing for Metal and Glass



CONTRACTOR: MARCO
 LOCATION: TAIF, K. S. A.
 CLIENT: MINISTRY ON HIGHER EDUCATION
 SCOPE: ALUMINIUM, GLAZING, DOORS & WINDOWS WORKS



MEDICAL COLLEGE
 TAIF

الشركة المتقدمة لتصنيع المعادن والزجاج
 Advanced Manufacturing for Metal and Glass




TASNEE PLASTIC FACTORY
 JUBAIL

الشركة المتقدمة لتصنيع المعادن والزجاج
 Advanced Manufacturing for Metal and Glass



CONTRACTOR: MASCO
 LOCATION: UNAZIAH
 CLIENT: MINISTRY OF EDUCATION
 SCOPE: ALUMINIUM, GLAZING, DOORS & WINDOWS WORKS



QASSIM UNIVERSITY FACULTY HOUSING - UNAZIAH

الشركة المتقدمة لتصنيع المعادن والزجاج
 Advanced Manufacturing for Metal and Glass



CONTRACTOR: AL-JOUDAH CONTRACTING
 LOCATION: KHAMIS MUSHAYT
 CLIENT: AL-JOUDAH CONTRACTING



WATER TANK TOWER


SCOPE:
 • CLADDING
 • REVISION
 • CURTAIN WALLS (SHELVING AND SUNSHIELD SYSTEMS)
 • LOUVERS
 • CANOPIES
 • DOORS & WINDOWS
 • STAINLESS STEEL WORKS

الشركة المتقدمة لتصنيع المعادن والزجاج
 Advanced Manufacturing for Metal and Glass

Head Office: P.O. Box 12602, Jeddah 21514, K.S.A. | Riyadh: P.O. Box 27133, Riyadh 11472, K.S.A.
 Tel: +966 11 812 3774 | Fax: +966 11 812 3425 | Riyadh: +966 11 498 4737 | Fax: +966 11 498 5322



CONTRACTOR: DMCC
 LOCATION: RIYADH, K. S. A.
 CLIENT: RAJAL REAL ESTATE DEVT. CO.
 SCOPE: ALUMINIUM, DOORS & WINDOWS, STRUCTURAL GLAZING



RAFAL LIVING TOWER
 RIYADH

الشركة المتقدمة لتصنيع المعادن والزجاج
 Advanced Manufacturing for Metal and Glass



ONGOING

- *Jazan International Airport - Jazan*




- *Shura Island (Dune & Waterside Villas) - Red Sea*



- *Tanajib Residential Complex - Tanajib*
(No Photos available, yet)

Certificates



CERTIFICATE



Quality Management System

For:
Advanced Manufacturing for Metal & Glass
Building No. 2700, Al Dammam 403, 7481, Postal code 34334 Dammam Saudi Arabia

International Standard: ISO 9001:2015

Assessment scope: Fabrication & Installation of Aluminium Windows, Doors, Structural Glazing, Cladding, Curtain Walls and Façade Works.
MAP 11, 28

Issue, date: October 21, 2025
Certification cycle is three years, and remains valid subject to satisfactory annual surveillance audits. First surveillance, before date: October 21, 2026. Second surveillance, before date: October 21, 2027

Expiry, date: October 20, 2028
Recertification audit, before two months the expiration date of the three-year cycle. Audit report No: 12094-30923-Q

Certificate No: 0660-361109
Certificate search/validity: www.abscontrol.com

Current registration effective,
Date: October 21, 2025
Authorized, Signature

[Signature]




MSCB-347

This certificate issued based on procedures of EBS and remains the property of EBS.
Accredited office: EBS Register LLC, 400 Delta Blvd. in 207-290, 19002, New York, USA, Key Location:
EBS-Konferenz-Beratungssysteme GmbH, Wiesenstr. 2a, 32524 Harth, Völk, Germany. www.abscontrol.com

Form F1020/Version 01/09/2025, Language: English, Page 1-1



www.amg-metal.com

alu@amg-metal.com

ALUPCO  Subsidiary

